

**When in the line of fire,
trust the expert**

Trust of
German
Technology





More power to fight fire

KSB Pumps Limited manufactures a wide range of world-class energy efficient pumps and valves from its six facilities in India, each dedicated to a product line.

An ISO 9001 & ISO 14001 organisation, KSB in India has systematised concurrent production of dissimilar components. All components, each with different specifications, flow through the computer-controlled manufacturing process.

A systematised solution by KSB involves more than merely designing and building the right pump and valve to meet the exacting demands of a variety of customers.

KSB pumps and valves are made available through a very wide distribution network comprising 4 zonal offices, 15 branch offices, over 800 authorised dealers, 4 service stations, 150 authorised service centres and 22 godowns... All this to ensure, that for every KSB pump and valve in use, there is a KSB sales and service outlet around the corner.

KSB not only engineers state-of-the-art pump and valve technology but also provides service to rely on. KSB stands by its customers all along, through the entire implementation of a project, offering continuous after-sales service and undertakes a variety of service contracts and energy audits to provide optimum and cost effective solutions.

At KSB, the relation with the customer is an ongoing partnership, continuing beyond product commissioning. Regular customised training sessions are held, in-house and at the customers' sites, to acquaint them with selection, operation and maintenance to get the best from KSB pumps and valves.

This is made possible by the commitment and dedication of the collective strength of a 2000 strong team who firmly believe that rewards come through the success of a client's project.



Why give fire an upper hand?

Fire has the habit of arriving unannounced and thus creating panic of all kinds. There's the fear of losing lives, valuables, property, and even reputation. And so, the last thing one can afford when fire strikes is delay; delay in responding to the situation at hand and the emergent situation. When it comes to fire, India is like a tinderbox and for good many reasons.


- Dry climatic conditions
- Hugely populated and congested
- Scant regard for prevention measures
- Little or no provision for firefighting
- Poor awareness in handling the situation
- Uninsured property and lives

This makes it absolutely imperative to have a robust fire prevention and fighting system installed and maintained operative for any eventuality.

Around the world and particularly in India, KSB is the most trusted and reliable name in production of pumps for all purposes.

Product Range

Complete pump sets with diesel engine



We manufacture and supply complete pump sets made as per local regulations and customer specifications.

Complete packages can be supplied (electric motor, diesel engine and jockey pump on one baseplate, with control cabinets, tank, batteries, etc.). This also includes the complete piping with discharge collector, valves and pressure switch.

All pump sets can be equipped with any type of fire-fighting pump and driven by either electric motor or diesel engine. The scope of supply also includes a control cabinet, batteries and a fuel tank. Commissioning, service and maintenance can be carried out by our qualified Service staff as an option.

Etanorm G



Construction

Horizontal, end suction, centrifugal, radially split volute casing pumps in back-pull-out design fitted with single stage radial impeller.

Pump Size	25 to 150 mm
Capacity	up to 660 m ³ /hr.
Head	up to 160 m
Discharge press.	up to 16 bar
Temperature	-30 to 140°C
Speed	up to 2900 rpm

MegaCPK

Pump Size	25 to 150 mm
Capacity	up to 1160 m ³ /hr.
Head	up to 162 m
Discharge press.	up to 25 bar
Temperature	-30 to 300°C
Speed	up to 2900 rpm




Construction

Horizontal, end suction, centrifugal, radially split, volute casing process pump in back-pull-out design, fitted with a radial impeller.

WKS

Pump Size	40 to 150 mm
Capacity	630 m ³ /hr.
Head	400 m
Discharge press.	up to 16 bar
Temperature	-30 to 140°C
Speed	up to 2900 rpm




Construction

Horizontal, radially split high pressure, multistage pumps with multi outlet construction.

Contact KSB for more details.

WK, WL, WKS,WKFI

Pump Size	40 to 150 mm
Capacity	up to 630 m ³ /hr.
Head	up to 780 m
Discharge press.	up to 63 bar
Temperature	up to 230°C
Speed	up to 4500 rpm




Construction

Horizontal, radially split, ring section, high pressure multi-stage pumps with radial impellers.

Etabloc

Pump Size	25 to 150 mm
Capacity	up to 640 m ³ /hr.
Head	up to 160 m
Discharge press.	up to 16 bar
Temperature	-30 to 140°C
Speed	up to 2900 rpm




Construction

Compact, horizontal, end suction, centrifugal, radially split volute casing pumps in monobloc construction.

Etaline

Pump Size	22 nos.
Capacity	350 m ³ /hr.
Head	up to 160 m
Discharge press.	up to 22 Kw
Temperature	-30 to 140°C
Speed	2900 rpm



Construction

Single stage inline volute casing pumps with back pull out design and ratings to EN 733 with radially split volute casing replaceable wear rings, stub shaft design. Closed radial impeller, single mechanical seal to EN 12756 and a shaft equipped with replaceable shaft sleeve in seal area.

Also available in vertical execution.

Movitec B


Pump Size	2, 4, 6, 8, 10, 15, 25, 40, 60, 90
Capacity	up to 112.8 m ³ /hr.
Head	up to 225 m
Discharge press.	up to 40 bar
Temperature	-20 to 140°C
Speed	up to 3600 rpm



Construction

Multi-stage, vertical inline high-pressure centrifugal pumps in ring-section design.

Omega/RDL



Capacity up to 12000 m³/hr.
Head up to 214 m

Construction

Horizontal split case pump with radial flow impeller

Also available with Fm/UL from our imported range. Contact KSB for more details

Design data for the individual series on request

Submersible Motor Pumps



Pump Size min. 75 mm
Capacity up to 900 m³/hr.
Head up to 360 m
Motor rating up to 110 Kw
Temperature Ambient
Speed 2900 rpm

Construction

Submersible pump in multi-stage construction with radial or mixed flow impellers coupled with oil or water filled, single/three phase submersible motors. Pumps with SS jacket are also available up to 100 mm diameter.

CPK



Pump Size 32 to 250 mm
Capacity up to 1200 m³/hr.
Head up to 150 m
Discharge press. up to 25 bar
Temperature -70 to 350°C
Speed up to 2900 rpm

Construction

Horizontal, end suction, centrifugal, radially split, volute casing process pumps in back-pull-out design, fitted with a radial impeller.

Capacity up to 800 m³/hr.
Head up to 350 m

BEV



Construction

Deep-well turbine pumps from our imported range

Contact KSB for more details.



Main electric fire pump selection

Sr.No.	Flow	Head	Pump Type	Pump Model	Suction x Delivery	Speed	Motor
	m ³ /hr	mtr			mm	RPM	kW
1	96	56	End Suction	ETN 100-080-200 GI4	100x80	2900	30
2	97	70	End Suction	ETN 100-80-250 GI4	100x80	2900	37
3	137	70	End Suction	ETN 100-80-250 GI4	100x80	2900	45
4	137	88	End Suction	ETN 100-80-250 GB5	100x80	2900	55
5	137	105	End Suction	ETN 100-80-315 GB5	100x80	2900	75
6	171	70	End Suction	ETN 125-100-250 GI4	125x100	2900	55
7	171	88	End Suction	ETN 100-80-250 GB5	100x80	2900	75
8	171	105	End Suction	ETN 100-80-315 GB5	100x80	2900	90
9	273	70	End Suction	MCPK 250-200-500 GB4	250x200	1450	90
10	273	88	End Suction	ETN 125-100-250 GC2	125x100	2900	110
11	273	105	End Suction	ETN 125-100-315 GB5	125x100	2900	110
12	410	70	End Suction	MCPK 250-200-500 GB4	250x200	1450	125
13	410	88	End Suction	MCPK 250-200-500 GB4	250x200	1450	160
14	616	70	End Suction	CPK 250-500 GB8	300x250	1450	200
15	616	88	End Suction	CPK 250-500 GB8	300x250	1450	250

Jockey pump selection

Sr.No.	Flow	Head	Pump Type	Pump Model	Speed	Motor
	m ³ /hr	mtr			RPM	kW
1	10.8	56	Vertical Inline	Movitec VCF 10B08	2900	3
2	10.8	70	Vertical Inline	Movitec VCF 10B09	2900	4
3	10.8	88	Vertical Inline	Movitec VCF 10B13	2900	5.5
4	10.8	105	Vertical Inline	Movitec VCF 10B15	2900	5.5
5	10.8	56	End Suction	ETN 050-032-250.1 GI4	2900	6
6	10.8	70	End Suction	ETN 050-032-250.1 GI4	2900	7.5
7	10.8	88	End Suction	ETN 050-032-250 GI4	2900	11
8	27	35	End Suction	ETB 050-032-200 GI4	2900	7.5
9	54	35	End Suction	ETB 065-040-160 GI4	2900	11

Main diesel engine fire pump selection

Sr. No.	Flow m³/hr	Head mtr	Pump Type	Pump Model	Suction X Delivery mm	Speed RPM	KOEL Engine				Greaves Engine			
							Engine BHP	Model	No. of Cylinders	Battery Voltage (V)	Engine BHP	Model	No. of Cylinders	Battery Voltage (V)
1	96	56	End Suction	ETN 100-80-315 GB5	100x80	1800	43	3R1040	3	12V	42	3G11NA	3	12V
2	97	70	End Suction	ETN 100-80-400 GI4	100x80	1800	60	4R1040	4	12V	62	3G11T	3	12V
3	137	70	End Suction	ETN 100-80-400 GI4	100x80	1800	85	4R1040	4	12V	62	3G11T	3	12V
4	137	88	End Suction	ETN 150-125-400 GI4	150x125	1800	90	4R1040T	4	12V	94	4G11T	4	12V
5	137	105	End Suction	MCPK 200-150-500 GB4	200x150	1800	133	6R1080T	6	24V	132	4G11TA	4	12V
6	171	70	End Suction	ETN 125-100-400 GI4	125x100	1800	85	4R1040T	4	12V	94	4G11T	4	12V
7	171	88	End Suction	ETN 150-125-400 GI4	150x125	1800	112	4R1040TA	4	12V	102	4G11T	4	12V
8	171	105	Multistage	WK 150/3 EXE 1	200x150	1800	90	4R1040T	4	12V	94	4G11T	4	12V
9	273	70	End Suction	ETN 150-125-400 GI4	150x125	1800	112	4R1040TA	4	12V	132	4G11TA	4	12V
10	273	88	End Suction	ETN 150-125-400 GI4	150x125	1800	167	6R1080T	6	24V	167	4G11TA	4	12V
11	273	105	End Suction	MCPK 200-150-500 GB4	200x150	1800	231	6SL9088TA	6	24V	198	6G11TA	6	24V
12	410	70	End Suction	ETN 200-150-400 GI	200x150	1800	167	6R1080TA	6	24V	167	4G11TA	4	12V
13	410	88	End Suction	ETN 200-150-400 GB5	200x150	1800	231	6SL9088TA	6	24V	198	6G11TA	6	24V
14	410	105	End Suction	MCPK 250-200-500 GB4	250x200	1800	313	6SL8800TA	6	24V	254	6G11TA	6	24V
15	616	70	End Suction	CPK 250-500 GB8	300x250	1800	231	6SL9088TA	6	24V	230	6G11TA	6	24V
16	616	88	End Suction	CPK 250-500 GB8	300x250	1800	313	6SL8800TA	6	24V	313	TBD3V6MKII	6	24V



www.ksbindia.co.in



CONTACT INFO



A-228, Udhna Udhyog Sangh, Road No. 10,
Udhna, Surat - 394210.

T-21, Silver Plaza, Nr. Sardar Patel Complex,
G.I.D.C., Ankleshwar - 393002.



+91-72111 76202
+91-78781 46717



sales@infinitygroupindia.com
nimish@infinitygroupindia.com